


EC TYPE-EXAMINATION CERTIFICATE

according to Marine Equipment Directive (Module B)



NOTIFIED BODY 0809

This is to certify that the examined products with type designations

Ursuit®Basic Immersion Suit and Ursuit®Basic AES

meet the requirements imposed in IMO LSA Code
(IMO Resolution MSC.81(70) Part 1/3 on

Life-saving appliances

and the provisions of Marine Equipment Directive 96/98/EC, as amended, last amendment
2010/68/EU, that apply to

immersion suits and anti-exposure suits not insulated.

Manufacturer of the product is

Ursuk Oy

The Certificate is valid until February 26, 2017 unless cancelled or revoked, provided the conditions in this certificate are complied with and the equipment remains satisfactory in service.

Espoo February 27, 2012




Lina Markelin-Rantala
Team Manager


Ritva Paalanen
Assessor

Manufacturer Ursuk Oy
Teijonkatu 3
FI-20750 TURKU
Finland.

Equipment Annex A.1 Item No A.1/1.5, constant wear immersion suits and anti-exposure suits not insulated.

Products Ursuit®Basic Immersion Suit, not insulated
Ursuit®Basic AES, not insulated

Product description The suit size range

Size	Length, cm	Chest girth, cm	Boot size
S	152 – 164	88 – 96	40
M	164 – 170	96 – 104	42
L	170 - 182	104 - 112	44
XL	182 - 194	112 - 120	46
XXL	194 - 200	120 - 128	48

Ursuit®Basic Immersion Suit is a not insulated constant-wear coverall type immersion suit made of an orange waterproof and breathable 3-layer Gore-Tex® PazifikGotland or 4-layer 4 -Tex material.

- With integrated PU boots (socks of suit material as an option)
- Attached hood of suit material (attached Gore-Tex® Stretch hood as an option),
- Neoprene neck seal (attached Gore-Tex® Stretch neck seal as an option),
- Neoprene wrist seals,
- Integral suspenders
- Watertight zipper from the left solder over the chest down to the right hip.
- Arm pockets with 5-finger gloves,
- A separate neoprene hood
- Whistle
- Buddy-line in chest pocket for portable VHF telephone
- Retro-reflective tape patches A total area of at least 400 cm²) (A total area of at least 400 cm²) SOLAS Grade.

Ursuit®Basic AES is **Ursuit®Basic Immersion Suit** worn with a west-type buoyancy aid **Ursuit®5150 Buoyancy West 70 N** made of inherently buoyant material, the size range is the same as for the suits. AES suit is fitted with a light according to the LSA Code requirements.

Optional features:



- Horizontal watertight flies zipper
- Quick dry glove system and 5-finger dry gloves (PVC)
- Ursuit®1450 Finnfill Underwear, separate or integrated.



Picture of the product

Ursuit® Basic Immersion Suit

29.12016 VL



Ursuit®5150, front and inside.

Technical document and reports

The Finnish Institute of occupational health Assessment form 22297MED01 February 6, 2003 and test reports 22196T03, November, 2002 22297T01, February 6, 2003 and 22095T02 December 16, 2002.

Test methods

IMO LSA Code(IMO Resolution MSC.81(70) Part 1/3 on Test for immersion suits and anti-exposure suits.

Product applications/limitations

Ursuit®Basic Immersion Suit and Ursuit®Basic suit are intended to be worn on board during rescue operations and during working situations when there is a danger of water immersion. The suit is made of material, which has no inherent insulation and shall be worn in conjunction with warm clothing and approved life jacket

Notes

This certificate will not be valid if the manufacturer makes any changes or modifications to the approved equipment, which have not been notified to, and agreed with the notified body named on this certificate.

Should the specified regulations or standards be amended during the validity of this certificate, the product is to be reapproved prior to it being placed on board vessels to which the amended regulations or standards apply.

The Mark of Conformity may only be affixed to the above type approved equipment and a Manufacturer's Declaration of Conformity issued when the production-control phase module (D, E or F) of Annex B of the Directive is fully complied with and controlled by a written inspection agreement with a notified body.

END OF CERTIFICATE

